

gt - gtcars

```
library(dplyr)
```

```
Attaching package: 'dplyr'
```

```
The following objects are masked from 'package:stats':
```

```
filter, lag
```

```
The following objects are masked from 'package:base':
```

```
intersect, setdiff, setequal, union
```

```
library(gt)
```

```
gtcars %>%  
  dplyr::filter(mfr == "Ferrari", hp < 900) %>%  
  dplyr::select(model, hp, mpg_c, mpg_h, msrp) %>%  
  gt() %>%  
  data_color(  
    columns = hp,  
    palette = c("white", "orange", "red"),  
    domain = c(500, 750)  
  ) %>%  
  data_color(  
    columns = c(mpg_c, mpg_h),  
    palette = c("white", "green"),  
    domain = c(10, 25)  
  ) %>%  
  data_color(  
    columns = msrp,  
    palette = c("white", "pink", "red"),  
    domain = NULL  
  )
```

model	hp	mpg_c	mpg_h	msrp
458 Speciale	597	13	17	291744
458 Spider	562	13	17	263553
458 Italia	562	13	17	233509
488 GTB	661	15	22	245400

model	hp	mpg_c	mpg_h	msrp
California	553	16	23	198973
GTC4Lusso	680	12	17	298000
FF	652	11	16	295000
F12Berlinetta	731	11	16	319995